

SAPIENS-200: Acrylate Impurities

Column: SAPIENS-200 TR-581035


Dimensions: 30m x 0,53 mm x 1.0 µm

Injection: wet needle, acrylate impurities mix, 250 °C, Split 1:30

Carrier gas: H₂, ct pressure 5 psi

Oven temperature: 40 °C (5 min) to 200 °C @ 10°C/min

Detector: FID, 270°C



TKG-1308